



Surgicell Industries
The name of customers satisfaction

ORTHOPEDIC IMPLANTS CATALOG



***“THE NAME OF CUSTOMERS
SATISFACTION”***

Surgicell Industries

Saleem Pur, Malkay Kalan Post Office,
Gohad Pur Sialkot 51310 Pakistan.

Cell No: +92-347-4304613

Phone: +92-523-251153

Fax: +92-523-251153

E-mail: info@surgicell.com

Web: www.surgicell.com

We feel pleasure to introduce Surgicell Industries as manufacturer and supplier of all kinds of Surgical, Dental, Beauty care, veterinary, orthopedic instruments and implants.

Surgicell Industries aim to serve mankind with world's top quality medical and beauty care products at very reasonable prices.

We have complete manufacturing units with highly experienced and skilful craftsmen, technicians and most modern machinery.

We use 316L stainless Steel ,Grade 5 titanium , German stainless steel ,J2 Japanese steel having 420c,440c,and 56-62 HRC , top quality Pakistani stainless steel for manufacturing different kinds of products.

Due to our professional attitude and highly trained professionals, Surgicell Industries have now become very famous in the international market.

Our all customers from different regions of the world are fully satisfied with our products and workmanship.

That's why, We say

"Surgicell Industries is the name of customers satisfaction"

In the end, we are really thankful to our existing customers for doing business with us and welcome to new customers.

Our Main Export Markets:

Germany, Brazil, France, Australia, Belgium, Hungary, Italy, Sweden, U.S.A, Norway, France, Hong Kong, Canada, Malta, Malaysia, Thailand, England, U.A.E, India, New Zealand, Japan, Singapore, China and South Africa.

All Types Of Screws.....	04-07
Spine Implants.....	08
2.4/2.7/3.5/4.0 MM Plates.....	09-11
4.5/5.0/6.5 MM Plates.....	12-14
Hip Prosthesis.....	15
Maxillofacial Plates & Elastic Nails.....	16
Tools For Implants.....	17-22



SCI-00-101

3.5mm cortical screw
Lengths: 10mm, 12mm To 80mm
Material: Available both in steel and Titanium



SCI-00-102

3.5mm Locking screw
Lengths: 10mm, 12mm To 80mm
Material: Available both in steel and Titanium



SCI-00-103

3.5mm Malleolar screw
Lengths: 16, 12mm To 80mm
Material: Available both in steel and Titanium



SCI-00-104

4.0mm Cancellous screw (Full Thread)
Lengths: 10mm, 12mm To 80mm
Material: Available both in steel and Titanium



SCI-00-105

4.0mm Cancellous screw (Half Thread)
Lengths: 10mm, 12mm To 80mm
Material: Available both in steel and Titanium



SCI-00-106

4.0mm Cannulated screw (Full Thread)
Lengths: 10mm, 12mm To 80mm
Material: Available both in steel and Titanium



SCI-00-107

4.0mm Cannulated screw (Half Thread)
Lengths: 10mm, 12mm To 80mm
Material: Available both in steel and Titanium



SCI-00-108

4.0mm Cancellous Locking screw (Full Thread)
Lengths: 10mm, 12mm To 80mm
Material: Available both in steel and Titanium



SCI-00-109

4.0mm Cancellous locking screw (Half thread)
Lengths: 10mm, 12mm To 80mm
Material: Available both in steel and Titanium



SCI-00-110

4.0mm interlocking screw
Lengths: 16mm, 18mm To 80mm
Material: Available both in steel and Titanium



SCI-00-111

3.5/4.0mm Screw Washers
Material: Available both in steel and Titanium



SCI-00-112

4.9mm interlocking screw (Half Thread)
Lengths: 16mm, 18mm To 100mm
Material: Available both in steel and Titanium



SCI-00-113

4.5mm cortical screw
Lengths: 10mm, 12mm To 100mm
Material: Available both in steel and Titanium



SCI-00-114

4.5mm locking screw
Lengths: 10mm, 12mm To 100mm
Material: Available both in steel and Titanium



SCI-00-115

4.5mm Malleolar screw
Lengths: 20mm, 22mm To 100mm
Material: Available both in steel and Titanium



SCI-00-116

4.5/6.5mm Screw Washers
Material: Available both in steel and Titanium



SCI-00-117

5.0mm locking screw
Lengths: 10mm, 12mm To 100mm
Material: Available both in steel and Titanium



SCI-00-118

5.0mm locking cancellous screw
Lengths: 10mm, 12mm To 100mm
Material: Available both in steel and Titanium



SCI-00-119

6.5mm cancellous screws
Thread: 16mm-32mm-Full
Lengths: any of your required size upto 120mm
Material: Available both in steel and Titanium



SCI-00-120

6.5mm cannulated screws
Thread: 16mm-32mm-Full
Lengths: any of your required size upto 120mm
Material: Available both in steel and Titanium



SCI-00-121

6.5mm cancellous locking screws
Thread: 16mm-32mm-Full
Lengths: any of your required size upto 120mm
Material: Available both in steel and Titanium



SCI-00-122

6.5mm cannulated locking screws
Thread: 16mm-32mm-Full
Lengths: any of your required size upto 120mm
Material: Available both in steel and Titanium



SCI-00-123

7.3mm locking cannulated screws
Thread: 16mm-32mm-Full
Lengths: any of your required size upto 120mm
Material: Available both in steel and Titanium



SCI-00-124

Interference screw
Diameter: 7mm , 8mm , 9mm , 10mm , 11mm
Lengths: 23mm , 30mm or any of your required size.
Material: Available both in steel and Titanium



SCI-00-125

1.5mm cortical screw
Lengths: 6mm , 12mm To 34mm
Material: Available both in steel and Titanium



SCI-00-126

2.0mm cortical screw
Lengths: 6mm , 12mm To 36mm
Material: Available both in steel and Titanium



SCI-00-127

2.4mm Cortical screw
Lengths: 10mm , 12mm To 44mm
Material: Available both in steel and Titanium



SCI-00-127-A

2.4mm locking screw

Lengths: 10mm, 12mm To 44mm

Material: Available both in steel and Titanium



SCI-00-128

2.7mm cortical screw

Lengths: 6mm, 12mm To 40mm

Material: Available both in steel and Titanium



SCI-00-129

2.7mm locking screw

Lengths: 6mm, 12mm To 40mm

Material: Available both in steel and Titanium



SCI-00-130

2.4mm Herbert screw

Lengths: 10mm, 12mm To 40mm

Material: Available both in steel and Titanium



SCI-00-131

3mm Herbert screw

Lengths: 10mm, 12mm To 60mm

Material: Available both in steel and Titanium



SCI-00-132

Lag screws for DHS/DCS

Lengths: any of your required size upto 120mm

Material: Available both in steel and Titanium



SCI-00-133

Spine monoAxial screw

Lengths: any of your required size
upto 130mm

Material: Titanium




SCI-00-134

Spine PolyAxial screws

Lengths: any of your required size
upto 130mm

Material: Titanium




SCI-00-135

bars for spine monoaxial/polyaxial
screw

Material: Titanium

Spine Implants



SCI-00-136

Cross link for spine
monoaxial/polyaxial screws

Material: Titanium



SCI-00-137

Bars for connectors/cross link of
monoaxial/polyaxial

Material: Titanium



SCI-00-138

2.4/2.7 LCP (locking) Distal Radius Volar plate

Orientation: Left and Right

Sizes : 2 Hole , 3 Hole To 16 Hole

Material: Available both in steel and Titanium



SCI-00-139

2.4/2.7/3.5/4.0mm LCP (locking) Wrist plate

Sizes : 2 Hole , 3 Hole To 10 Hole

Orientation: Left and Right

Material: Available both in steel and Titanium



SCI-00-140

3.5/4.0mm DCP (non locking) straight plate

Sizes : 3 Hole , 4 Hole To 18 Hole

Material: Available both in steel and Titanium



SCI-00-141

3.5/4.0mm LCP (locking) straight plate

Sizes : 3 Hole , 4 Hole To 18 Hole

Material: Available both in steel and Titanium



SCI-00-142

3.5/4.0mm DCP (non locking)

Reconstruction plate

Sizes : 3 Hole , 4 Hole To 18 Hole

Model: Straight and curved

Material: Available both in steel and Titanium



SCI-00-143

3.5/4.0mm LCP (locking)

reconstruction plate

Sizes : 3 Hole , 4 Hole To 18 Hole

Model: Straight and curved

Material: Available both in steel and Titanium



SCI-00-144

3.5/4.0mm DCP (non locking) 1/3 tubular plate

Sizes : 3 Hole , 4 Hole To 16 Hole

Material: Available both in steel and Titanium



SCI-00-145

3.5/4.0mm LCP (locking) 1/3 tubular plate

Sizes : 3 Hole , 4 Hole To 16 Hole

Material: Available both in steel and Titanium



SCI-00-146

3.5/4.0mm DCP (non locking) T oblique plate

Sizes : 3 Hole , 4 Hole To 12 Hole

Model: A: Single use B: Both Side USE (2.5mm thickness)

Material: Available both in steel and Titanium



SCI-00-147

3.5/4.0mm LCP (locking) T oblique plate
Sizes: 3 Hole , 4 Hole To 12 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



SCI-00-148

3.5/4.0mm LCP (locking) T plate
Sizes : 3 Hole , 4 Hole To 12 Hole
Model: A: 3 holes of head B: 4 holes at head
Material: Available both in steel and Titanium



SCI-00-149

3.5/4.0mm DCP (non locking) T plate
Sizes : 3 Hole , 4 Hole To 12 Hole
Material: Available both in steel and Titanium



SCI-00-150

3.5/4.0mm LCP (locking) Clavicle S plate
Sizes : 3 Hole , 4 Hole To 12 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



SCI-00-151

3.5/4.0mm LCP (locking) Clavicle plate
Sizes : 3 Hole , 4 Hole To 12 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



SCI-00-152

3.5/4.0mm LCP (locking) Clavicle plate (6 holes at head)
Sizes : 3 Hole , 4 Hole To 12 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



SCI-00-153

3.5/4.0mm LCP (locking) Clavicle Hook plate
Sizes : 3 Hole , 4 Hole To 10 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



SCI-00-154

3.5/4.0mm LCP (locking) Distal Tibia medial plate
Sizes : 3 Hole , 4 Hole To 16 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



SCI-00-155

3.5/4.0mm LCP (locking) Proximal humerus (philos) plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Material: Available both in steel and Titanium



SCI-00-156

3.5/4.0mm LCP (locking) Olecranon plate

Sizes : 3 Hole , 4 Hole To 16 Hole

Orientation: Left and Right

Material: Available both in steel and Titanium



SCI-00-157

3.5/4.0mm LCP (locking) Cloverleaf plate

Sizes : 3 Hole , 4 Hole To 18 Hole

Material: Available both in steel and Titanium



SCI-00-158

3.5/4.0mm DCP (non locking) Cloverleaf plate

Sizes : 3 Hole , 4 Hole To 18 Hole

Material: Available both in steel and Titanium



SCI-00-159

3.5/4.0mm LCP (locking) Calcaneal plate

Sizes : 45mm , 60mm , 70mm

Orientation: Left and Right

Material: Available both in steel and Titanium



SCI-00-160

3.5/4.0mm LCP (locking) Distal humerus lateral plate

Sizes : 3 Hole , 4 Hole To 16 Hole

Orientation: Left and Right

Material: Available both in steel and Titanium



SCI-00-161

2.7/3.5/4.0mm LCP (locking) Distal Humerus lateral with support plate

Sizes : 3 Hole , 4 Hole To 16 Hole

Orientation: Left and Right

Material: Available both in steel and Titanium




SCI-00-162

2.7/3.5/4.0mm LCP (locking) Distal humerus medial plate

Sizes : 3 Hole , 4 Hole To 16 Hole

Orientation: Left and Right

Material: Available both in steel and Titanium



SCI-00-163

3.5/4.0mm LCP (locking) Y plate

Sizes : 3 Hole , 4 Hole To 16 Hole

Orientation: Left and Right

Material: Available both in steel and Titanium



SCI-00-164

2.7/3.5/4.0mm LCP (locking) Distal Fibula plate

Sizes : 3 Hole , 4 Hole To 16 Hole

Orientation: Left and Right

Material: Available both in steel and Titanium



SCI-00-165

4.5mm DCP (non locking) Narrow plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Material: Available both in steel and Titanium



SCI-00-166

4.5mm LCP (locking) Narrow plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Material: Available both in steel and Titanium



SCI-00-167

4.5mm DCP (non locking) Broad plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Material: Available both in steel and Titanium



SCI-00-168

4.5mm LCP (locking)
Sizes : 3 Hole , 4 Hole To 18 Hole
Material: Available both in steel and Titanium



SCI-00-169

4.5/5.0mm LCP (locking) DHS Ø135 plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Material: Available both in steel and Titanium



SCI-00-170

4.5mm DCP (non locking) DHS Ø135 plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Material: Available both in steel and Titanium



SCI-00-171

4.5/5.0mm LCP (locking) DCS Ø95 plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Material: Available both in steel and Titanium



SCI-00-172

4.5mm DCP (non locking) DCS Ø95 plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Material: Available both in steel and Titanium



SCI-00-173

4.5/5.0mm LCP (locking) Distal femur plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



SCI-00-174

6.5/5.0/4.5mm LCP (locking) Distal femur plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



SCI-00-175

6.5/4.5mm DCP (non locking) Distal femur plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



SCI-00-176

7.3/5.0/4.5mm LCP (locking) Proximal femur plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



SCI-00-176-A

7.3/5.0/4.5mm LCP (locking) Proximal femur hook plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



SCI-00-176-B

6.5/5.0/4.5mm LCP (locking) Proximal femur hook plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



SCI-00-177

4.5/5.0mm LCP (locking) Proximal tibia medial plate
Sizes : 2 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



SCI-00-178

6.5/5.0/4.5mm DCP (non locking) Proximal tibia medial plate
Sizes : 2 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



SCI-00-179

4.5/5.0mm LCP (locking) Proximal tibia lateral plate
Sizes : 2 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



SCI-00-180

6.5/5.0/4.5mm DCP (non locking) Proximal tibia lateral plate
Sizes : 2 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



SCI-00-181

6.5/5.0/4.5mm LCP (locking) T plate
Sizes : 3 Hole , 4 Hole To 12 Hole
Material: Available both in steel and Titanium



SCI-00-182

6.5/4.5mm DCP (non locking) T
Buttress plate
Sizes : 3 Hole , 4 Hole To 12 Hole
Material: Available both in steel and Titanium



SCI-00-183

6.5/4.5mm DCP (non locking) L
Buttress plate
Sizes : 3 Hole , 4 Hole To 16 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



SCI-00-184

6.5/4.5mm LCP (locking) L Buttress
plate
Sizes : 3 Hole , 4 Hole To 16 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



SCI-00-185

6.5/4.5mm DCP (non locking)
Condylar Buttress plate
Sizes : 3 Hole , 4 Hole To 16 Hole
Orientation: Left and Right
Note: Locking model is also available.
Material: Available both in steel and Titanium



SCI-00-186
Thompson Hip prosthesis
Sizes : 36mm , 37mm To 58mm
Material: steel



SCI-00-187
Lazcano Hip prosthesis
Sizes : 36mm , 37mm To 58mm
Material: steel



SCI-00-188
Austin Moore Hip prosthesis
(Standard)
Sizes : 36mm , 37mm To 58mm
Material: steel

Hip Prosthesis



SCI-00-189

Elastic nails


Sizes: 1.5mm, 2.0mm x 350mm
2.5mm, 3.0mm, 3.5mm, 4.0mm,
4.5mm x 440mm
Material: Titanium



SCI-00-191

Maxillofacial 1.5/2.0mm plates

Sizes: 1.5/2.0mm Mesh plate
Material: Titanium



SCI-00-190

Maxillofacial 1.5/2.0mm plates

Material: Titanium



Depth gauge
SCI-00-192



Universal Drill Guide
SCI-00-193



Handle With Mini Quick Coupling
SCI-00-194



T-Handle With Quick Coupling
SCI-00-195



Universal Chuck With T-Handle
SCI-00-196

SCI-00-197



Hammer

SCI-00-198



Gauge Straight

SCI-00-199



Gauge Curved

SCI-00-200



Wire Sleeve

SCI-00-201



Bending Iron For Kirschner Wires

SCI-00-202



Bending Iron

SCI-00-203



Bending Iron For Reconstruction Plates

SCI-00-204



Bending Iron

SCI-00-205



Periosteal Elevator , Curved With Round Edge

SCI-00-206



Periosteal Elevator , Straight with Round Edge

SCI-00-207



Periosteal Elevator , Straight

SCI-00-208



Periosteal Elevator , Curved

SCI-00-209



Hohmann Retractor

SCI-00-210



Bone Hook



Hammer SCI-00-211



Hammer SCI-00-212



Hexagonal Screw Driver With Quick Coupling

SCI-00-213



Quick Coupling Drill Bit
SCI-00-214




Hexagonal Screw Driver With Fiber Handle
SCI-00-215



Cruciform Screw Driver (For Cross Head Screws)
SCI-00-216



Holding Sleeve For Hexagonal Drivers
SCI-00-217



Countersink with T - Handle
SCI-00-218




Countersink With Quick Coupling
SCI-00-219



Bone Tap for Cancellous for cancellous Screws
SCI-00-220



Jacob chuck drill bit
SCI-00-221



Bone Tap
SCI-00-222



Sleeve guide
SCI-00-223



Rigid reamer
SCI-00-224



Drill guide
SCI-00-225



Plate bender
SCI-00-226



Screw driver with handle for spine screw
SCI-00-227

Surgicell Industries

Saleem Pur, Malkay Kalan Post Office,
Gohad Pur Sialkot 51310 Pakistan.

Cell: +92-347-4304613 

Phone: +92-523-251153

Fax: +92-523-251153

 info@surgicell.com

 www.surgicell.com